ELSEVIER

Journal of Organometallic Chemistry 512 (1996) 269

Journal of Organometallic Chemistry

Author Index of Volume 512

Abu-Surrah, A.S., 243
Alt, H.G., 51
Angelici, R.J., 149

Baird, M.C., 253
Bartsch, R., 141
Bényei, A.Cs., 45
Bitterwolf, T.E., 11
Brintzinger, H.-H., 225
Burkey, D.J., 165

Carpenter, G.B., 257
Caulder, D.L., 91
Chen, J., 149
Chien, J.C.W., 131
Churchill, M.R., 189
Clearfield, A., 237
Cooper, N.J., 175

Daniel, T., 197
Darensbourg, D.J., 45
Donovalova, J., 85
Drago, R.S., 61
Dybowski, C.R., 21

Eisch, J.J., 207

Fawzi, R., 101, 243
Fischer, A., 141
Fox, J.R., 175
Frick, M., 117
Friesen, C., 265

Gaffney, E.J., 21
Geprägs, M., 101
Girgsdies, F., 117

Hanusa, T.P., 165
Hénique, J., 183
Herberhold, M., 111
Heymer, B., 117
Horine, P.A., 11

Jackson, C.R., 85
Jackson, III, F., 265
Jacobson, R.A., 149
Jaouen, G., 79
Jernakoff, P., 175
Jin, G.-X., 111
Jones, P.G., 141
Joó, F., 45

Kabir, S.E., 261
King, R.B., 1
Kirsten, R., 225
Kuksis, I., 253
Kumar, V., 1
Kur, S.A., 39

Lee, D.W., 1
Leonard, M.B., 11
Liable-Sands, L.M., 91
Lin, J., 69
Lin, Y.-C., 101
Lindner, E., 101

Mahr, N., 197
Mansel, S., 225
Milius, W., 111
Mintz, E.A., 85
Mueller-Westerhoff, U.T., 219
Müller, C., 141
Müller, M., 197

Nádasdi, L., 45
Newton, M.G., 1
Nuding, W., 127

Pender, M.J., 91
Piórko, A., 79
Pittman, Jr., C.U., 69
Poojary, D.M., 237
Prosenc, M.-H., 225

Qian, Y., 207

Reed, D., 265
Reger, D.L., 91
Reger, L.B., 91
Rheingold, A.L., 11, 21, 91
Rheinwald, G., 27
Rief, U., 225
Rieger, B., 243
Rogers, R.D., 97
Rublein, E.K., 157
Ruf, M., 261

Samuel, E., 183
Sanders, R., 219
Schmutzler, R., 141
Schumann, H., 117
See, R.F., 189
Shade, J.E., 11
Shuchart, C.E., 189
Singh, M., 207
Slocum, D.W., 265
Song, W., 131
Staley, D.J., 11
Steimann, M., 101, 243
Stoeckli-Evans, H., 27
Su, Y., 149
Sun, S., 257
Süss-Fink, G., 27
Sutherland, R.G., 79
Sweigart, D.A., 257

Thewalt, U., 127
Treichel, P.M., 157

Vahrenkamp, H., 261
Vessières-Jaouen, A., 79

Wang, H.C., 21
Werner, H., 197
Winter, C.H., 39
Wojcicki, A., 189

Yap, G.P.A., 11
Yih, K.-H., 101
Yu, Z., 131

Zenk, R., 51

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 512 (1996) 271–276

Journal of Organometallic Chemistry

Subject Index of Volume 512

Aldehydes
The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
Alkoxides
Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $Me_2M–O–R–OR'$ and amides $Me_2M–NH–R–OR'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117
Alkyls
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183
Allene
Structure of $(\eta^5\text{-}C_5H_5)_2Ru_2Fe_2(CO)_8(\mu_2\text{-}CO)(\mu_4\text{-}\eta^6\text{-}C_6H_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
Allyl complexes
Structure of $(\eta^5\text{-}C_5H_5)_2Ru_2Fe_2(CO)_8(\mu_2\text{-}CO)(\mu_4\text{-}\eta^6\text{-}C_6H_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
Aluminium
Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $Me_2M–O–R–OR'$ and amides $Me_2M–NH–R–OR'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117
Aluminum
ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spirosilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenc, R. Kirsten and H.-H. Brintzinger), 225
Amides
Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $Me_2M–O–R–OR'$ and amides $Me_2M–NH–R–OR'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117
Antimony
Redeterminations of the solid-state structures of trimethylarsenic dibromide, Me_3AsBr_2, and trimethylantimony dibromide, Me_3SbBr_2, by X-ray crystallography and solid state ^{13}C MAS NMR evidence for a highly symmetrical D_{3h}, non-ionic structure for Me_3SbBr_2 (H.C. Wang, E.J. Gaffney, C.R. Dybowski and A.L. Rheingold), 21
Arbuzov reaction
New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
Arene complexes
Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene–iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximato) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197
Arsenic
Redeterminations of the solid-state structures of trimethylarsenic dibromide, Me_3AsBr_2, and trimethylantimony dibromide, Me_3SbBr_2, by X-ray crystallography and solid state ^{13}C MAS NMR evidence for a highly symmetrical D_{3h}, non-ionic structure for Me_3SbBr_2 (H.C. Wang, E.J. Gaffney, C.R. Dybowski and A.L. Rheingold), 21
Azobenzene
Reversible insertion of SO_2 into the N–N bond of $[Fe_2(CO)_6(\mu\text{-}Ph_2N_2)]$ (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261

Bidentate ligands
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolinyl- and bis(1,2,3,4-tetrahydroquinolinyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243
Bimetallic
Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[Ru(CO)_2][Ru(CO)_2Cl][\eta^5,\eta^5\text{:}\eta^1\text{-}C_5H_4(CH_2)_2CC_5H_3]$, $Ru_2(CO)_4[\eta^5,\eta^5\text{-}C_5H_4(CH_3)_2SiC_5H_4]$ and $[Ru(CO)_2Br][Ru(CO)_2Cl][\eta^5,\eta^5\text{-}C_5H_4C_2H_4C_5H_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11
Bis(pyrazolyl)borate
Synthesis and characterization of dihydrobis(3,5-dimethylpyrazolyl)borate complexes of gallium(III) and indium(III) (D.L. Reger, M.J. Pender, D.L. Caulder, L.B. Reger, A.L. Rheingold and L.M. Liable-Sands), 91
Bridged complexes
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolinyl- and bis(1,2,3,4-tetrahydroquinolinyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243

Carbene complexes
Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
Carbon disulfide
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of RuCl(P ~

Elsevier Science S.A.

O)$_3$(η^2-S_2CH) and Ru(CO)Cl(P ~ O)$_2$(η^2-S_2CH) (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Carbonylruthenium complexes
Zur Chemie dreikerniger Carbonylruthenium-Komplexe mit μ_3-η^2-Sulfonsäurehydrazido-Liganden: Synthese und Molekülstruktur von $HRu_3(CO)_8[H_2NNS(O)_2Mes](PPh_3)$, $HRu_3(CO)_8$-$[H_2NNS(O)_2Mes][PPh_2CC(Ph)Co_2(CO)_6]$, $HRu_3(CO)_8$-$[H_2NNS(O)_2Tol][PPh_2(C_5H_4)Fe(C_5H_4)PPh_2]$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), 27

Carbonyls
Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^iPr_2NP)_2Fe_2(CO)_6$ unit from $(^iPr_2NP)_2COFe_2(CO)_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1

Catalysis
C_2-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51

Catechol
η^6-Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6$-hydroquinone)$Mn(CO)_3]_2SiF_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257

Chiral
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85

Chirality
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolinyl- and bis(1,2,3,4-tetrahydroquinolinyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243

Chromium
New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253

Cleavage
Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Cobalt
An analysis of cobaloxime chemistry with the electrostatic–covalent model (R.S. Drago), 61

Coupling reaction
Structure of $(\eta^5$-$C_5H_5)_2Ru_2Fe_2(CO)_8(\mu_2$-CO)$(\mu_4$-$\eta^6$-$C_6H_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand and derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189

Crystal structure
Crystal structures of metallo–organo phosphates from X-ray powder diffraction data (D.M. Poojary and A. Clearfield), 237
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of RuCl(P ~ O)$_3$(η^2-S_2CH) and Ru(CO)Cl(P ~ O)$_2$(η^2-S_2CH) (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
Redeterminations of the solid-state structures of trimethylarsenic dibromide, Me_3AsBr_2, and trimethylantimony dibromide, Me_3SbBr_2, by X-ray crystallography and solid state ^{13}C MAS NMR evidence for a highly symmetrical D_{3h}, non-ionic structure for Me_3SbBr_2 (H.C. Wang, E.J. Gaffney, C.R. Dybowski and A.L. Rheingold), 21
Structure of $(\eta^5$-$C_5H_5)_2Ru_2Fe_2(CO)_8(\mu_2$-CO)$(\mu_4$-$\eta^6$-$C_6H_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand and derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolinyl- and bis(1,2,3,4-tetrahydroquinolinyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243
Titanium(IV) compounds with cyano ligands: crystal structures of $Cp_2Ti(CN)(OCH_3)$ and $[Cp_2Ti(CN)]_2O$ (U. Thewalt and W. Nuding), 127

Cyanide
Titanium(IV) compounds with cyano ligands: crystal structures of $Cp_2Ti(CN)(OCH_3)$ and $[Cp_2Ti(CN)]_2O$ (U. Thewalt and W. Nuding), 127

Cyclopentadiene
Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(C_3H_7)_4C_5H]_2Zn$ (D.J. Burkey and T.P. Hanusa), 165
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[W(\eta^5$-$C_5H_5)_2(CO)]$ to give $[W(\eta^5$-$C_5H_5)(\eta^4$-C_5H_5-exo-$CCl_3)(CO)Cl]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175

Cyclopentadienyl
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[W(\eta^5$-$C_5H_5)_2(CO)]$ to give $[W(\eta^5$-$C_5H_5)(\eta^4$-C_5H_5-exo-$CCl_3)(CO)Cl]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175
Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183
The crystal and molecular structure of $[\eta^5$-$C_5H_3(SiMe_3)_2]_2Yb(THF)$ (R.D. Rogers), 97
Titanium(IV) compounds with cyano ligands: crystal structures of $Cp_2Ti(CN)(OCH_3)$ and $[Cp_2Ti(CN)]_2O$ (U. Thewalt and W. Nuding), 127

Cyclopentadienyls
Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene–iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
Syntheses and reactions of dinuclear μ-methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157

Dialkylaminophosphorus derivatives
Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^iPr_2NP)_2Fe_2(CO)_6$ unit from $(^iPr_2NP)_2COFe_2(CO)_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1

Dinuclear complex
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69

17-Electron compounds
New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253

Electrophilic addition
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[W(\eta^5$-$C_5H_5)_2(CO)]$ to give $[W(\eta^5$-

C_5H_5)(η^4-C_5H_5-exo-CCl_3)(CO)Cl] (P. Jernakoff, J.R. Fox and N.J. Cooper), 175

Electrostatic–covalent model
An analysis of cobaloxime chemistry with the electrostatic–covalent model (R.S. Drago), 61

ESR
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183

Ether-phosphine
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of RuCl(P ~ O)$_3$(η^2-S_2CH) and Ru(CO)Cl(P ~ O)$_2$(η^2-S_2CH) (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Ferrocene
Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39

Ferrocenophanes
Rhenium complexes containing 1,1′-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111

Fluxional behavior
Effects of steric strain on the bonding in zinc metallocenes: the structure of [(C_3H_7)$_4$$C_5H$]$_2$Zn (D.J. Burkey and T.P. Hanusa), 165

Fluxionality
Di- and triphospha-ferrocenes: crystal and molecular structures of [Fe(η^5-C_5Me_5)(η^5-$C_3^{t}Bu_3P_2$)] and of the adducts [Fe(η^5-C_5Me_5)(η^5-$C_2^{t}Bu_2P_3$)Mo(CO)$_5$] and [Fe(η^5-C_5Me_5)(η^5-C_2-^{t}Bu_2P_3)W(CO)$_5$] (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141

Free radicals
New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253

Fulvenes
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85

Gallium
Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides Me_2M–O–R–OR′ and amides Me_2M–NH–R–OR′ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117
Synthesis and characterization of dihydrobis(3,5-dimethylpyrazolyl)-borate complexes of gallium(III) and indium(III) (D.L. Reger, M.J. Pender, D.L. Caulder, L.B. Reger, A.L. Rheingold and L.M. Liable-Sands), 91

Group 8
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of RuCl(P ~ O)$_3$(η^2-S_2CH) and Ru(CO)Cl(P ~ O)$_2$(η^2-S_2CH) (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Heterodimetallic complexes
Rhenium complexes containing 1,1′-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111

Homogeneous catalysis
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69

Hydride
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of RuCl(P ~ O)$_3$(η^2-S_2CH) and Ru(CO)Cl(P ~ O)$_2$(η^2-S_2CH) (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Hydrogenation
Aqueous organometallic chemistry: the mechanism of catalytic hydrogenations with chlorotris(1,3,5-triaza-7-phosphaadamantane)-rhodium(I) (F. Joó, L. Nádasdi, A.Cs. Bényei and D.J. Darensbourg), 45
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69

Hydrogen bonding
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of RuCl(P ~ O)$_3$(η^2-S_2CH) and Ru(CO)Cl(P ~ O)$_2$(η^2-S_2CH) (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Hydroquinone
η^6-Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of [(η^6-hydroquinone)Mn(CO)$_3$]$_2$$SiF_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257

Indenyl
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183

Indium
Synthesis and characterization of dihydrobis(3,5-dimethylpyrazolyl)-borate complexes of gallium(III) and indium(III) (D.L. Reger, M.J. Pender, D.L. Caulder, L.B. Reger, A.L. Rheingold and L.M. Liable-Sands), 91

Indolinyl ligands
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolinyl- and bis(1,2,3,4-tetrahydroquinolinyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243

Insertion reactions
Reversible insertion of SO_2 into the N–N bond of [Fe_2(CO)$_6$(μ-Ph_2N_2)] (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261

Iridium
Reactions of the η^5-2,5-dimethylthiophene complex Cp*Ir(η^5-2,5-Me_2T)$^{2+}$ with nucleophiles (Ph^-, Me^-, $^-CH(CO_2Me)_2$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149

Iron
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
C_2-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
Di- and triphospha-ferrocenes: crystal and molecular structures of [Fe(η^5-C_5Me_5)(η^5-$C_3^{t}Bu_3P_2$)] and of the adducts [Fe(η^5-C_5Me_5)(η^5-$C_2^{t}Bu_2P_3$)Mo(CO)$_5$] and [Fe(η^5-C_5Me_5)(η^5-C_2-^{t}Bu_2P_3)W(CO)$_5$] (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
Reversible insertion of SO_2 into the N–N bond of [Fe_2(CO)$_6$(μ-Ph_2N_2)] (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261

Rhenium complexes containing 1,1′-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111

Structure of $(\eta^5\text{-}C_5H_5)_2Ru_2Fe_2(CO)_8(\mu_2\text{-}CO)(\mu_4\text{-}\eta^6\text{-}C_6H_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189

Syntheses and reactions of dinuclear μ-methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Iron complexes

Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene–iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79

Irons

Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^iPr_2NP)_2Fe_2(CO)_6$ unit from $(^iPr_2NP)_2COFe_2(CO)_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1

Isospecific

Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131

Lithiation

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Lithiosulfones

Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Lithium

1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85

Media effects in directed *ortho* metalation (D.W. Slocum, D. Reed, F. Jackson, III and C. Friesen), 265

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Manganese

η^6-Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6\text{-hydroquinone})Mn(CO)_3]_2SiF_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257

Mercuration

Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39

Mercury

Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39

Metalation

Media effects in directed *ortho* metalation (D.W. Slocum, D. Reed, F. Jackson, III and C. Friesen), 265

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Metal carbonyl

Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[Ru(CO)_2][Ru(CO)_2Cl][\eta^5,\eta^5:\eta^1\text{-}C_5H_4\text{-}(CH_2)_2C_5H_3]$, $Ru_2(CO)_4[\eta^5,\eta^5\text{-}C_5H_4(CH_3)_2SiC_5H_4]$ and $[Ru(CO)_2Br][Ru(CO)_2Cl][\eta^5,\eta^5\text{-}C_5H_4C_2H_4C_5H_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11

Metallocene

1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85

ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spirosilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenc, R. Kirsten and H.-H. Brintzinger), 225

C_2-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51

Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_3{}^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141

Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(C_3H_7)_4C_5H]_2Zn$ (D.J. Burkey and T.P. Hanusa), 165

Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[W(\eta^5\text{-}C_5H_5)_2(CO)]$ to give $[W(\eta^5\text{-}C_5H_5)(\eta^4\text{-}C_5H_5\text{-exo-}CCl_3)(CO)Cl]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175

Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131

Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Titanium(IV) compounds with cyano ligands: crystal structures of $Cp_2Ti(CN)(OCH_3)$ and $[Cp_2Ti(CN)]_2O$ (U. Thewalt and W. Nuding), 127

Metalloimmunoassay

Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene–iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79

Molybdenum

Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_3{}^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141

Nickel

Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Nucleophiles

Reactions of the η^5-2,5-dimethylthiophene complex $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ with nucleophiles (Ph^-, Me^-, $^-CH(CO_2Me)_2$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149

Osmium

Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximato) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197

Oxidative addition

Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Oximes

An analysis of cobaloxime chemistry with the electrostatic–covalent model (R.S. Drago), 61

Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximato) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197

Oxo-bridge

Titanium(IV) compounds with cyano ligands: crystal structures of $Cp_2Ti(CN)(OCH_3)$ and $[Cp_2Ti(CN)]_2O$ (U. Thewalt and W. Nuding), 127

Palladium

Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolinyl- and bis(1,2,3,4-tetrahydroquinolinyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243

Pentamethylcyclopentadienyl

Reactions of the η^5-2,5-dimethylthiophene complex $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ with nucleophiles (Ph^-, Me^-, $^-CH(CO_2Me)_2$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149

Phenylacetylene

Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $RuCl(P\sim O)_3(\eta^2\text{-}S_2CH)$ and $Ru(CO)Cl(P\sim O)_2(\eta^2\text{-}S_2CH)$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Phosphates

Crystal structures of metallo–organo phosphates from X-ray powder diffraction data (D.M. Poojary and A. Clearfield), 237

Phosphines

Aqueous organometallic chemistry: the mechanism of catalytic hydrogenations with chlorotris(1,3,5-triaza-7-phosphaadamantane)-rhodium(I) (F. Joó, L. Nádasdi, A.Cs. Bényei and D.J. Darensbourg), 45

Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183

Phosphites

New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253

Phosphonium ylides

Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Phosphorus

Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_3{}^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141

Platinum

Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69

Polymerization

ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spirosilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenc, R. Kirsten and H.-H. Brintzinger), 225

C_2-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51

Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131

Propene

ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spirosilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenc, R. Kirsten and H.-H. Brintzinger), 225

Propylene

C_2-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51

Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131

Pyrophosphito-bridging ligands

Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69

Rhenium

Rhenium complexes containing 1,1′-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111

Rhodium

Aqueous organometallic chemistry: the mechanism of catalytic hydrogenations with chlorotris(1,3,5-triaza-7-phosphaadamantane)-rhodium(I) (F. Joó, L. Nádasdi, A.Cs. Bényei and D.J. Darensbourg), 45

Ring-coupled

Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[Ru(CO)_2][Ru(CO)_2Cl][\eta^5,\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2CC_5H_3]$, $Ru_2(CO)_4[\eta^5,\eta^5\text{-}C_5H_4(CH_3)_2SiC_5H_4]$ and $[Ru(CO)_2Br][Ru(CO)_2Cl][\eta^5,\eta^5\text{-}C_5H_4C_2H_4C_5H_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11

Ruthenium

Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $RuCl(P\sim O)_3(\eta^2\text{-}S_2CH)$ and $Ru(CO)Cl(P\sim O)_2(\eta^2\text{-}S_2CH)$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101

Structure of $(\eta^5\text{-}C_5H_5)_2Ru_2Fe_2(CO)_8(\mu_2\text{-}CO)(\mu_4\text{-}\eta^6\text{-}C_6H_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189

Syntheses and reactions of dinuclear μ-methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157

Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[Ru(CO)_2][Ru(CO)_2Cl][\eta^5,\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2CC_5H_3]$, $Ru_2(CO)_4[\eta^5,\eta^5\text{-}C_5H_4(CH_3)_2SiC_5H_4]$ and $[Ru(CO)_2Br][Ru(CO)_2Cl][\eta^5,\eta^5\text{-}C_5H_4C_2H_4C_5H_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Zur Chemie dreikerniger Carbonylruthenium-Komplexe mit μ_3-η^2-Sulfonsäurehydrazido-Liganden: Synthese und Molekülstruktur von $HRu_3(CO)_8[H_2NNS(O)_2Mes](PPh_3)$, $HRu_3(CO)_8[H_2NNS(O)_2Mes][PPh_2CC(Ph)Co_2(CO)_6]$, $HRu_3(CO)_8[H_2NNS(O)_2Tol][PPh_2(C_5H_4)Fe(C_5H_4)PPh_2]$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), 27

Semiquinone

η^6-Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6\text{-hydroquinone})Mn(CO)_3]_2SiF_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257

Silicon

Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[Ru(CO)_2][Ru(CO)_2Cl][\eta^5,\eta^5:\eta^1\text{-}C_5H_4$-

$(CH_2)_2CC_5H_3]$, $Ru_2(CO)_4[\eta^5,\eta^5\text{-}C_5H_4(CH_3)_2SiC_5H_4]$ and $[Ru(CO)_2Br][Ru(CO)_2Cl][\eta^5,\eta^5\text{-}C_5H_4C_2H_4C_5H_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11

Slipped-sandwich
Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(C_3H_7)_4C_5H]_2Zn$ (D.J. Burkey and T.P. Hanusa), 165

Stereochemistry
Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^iPr_2NP)_2Fe_2(CO)_6$ unit from $(^iPr_2NP)_2COFe_2(CO)_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1

Steroids
Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene–iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79

Styrene
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69

Sulfonohydranido-capped clusters
Zur Chemie dreikerniger Carbonylruthenium-Komplexe mit $\mu_3\text{-}\eta^2$-Sulfonsäurehydrazido-Liganden: Synthese und Molekülstruktur von $HRu_3(CO)_8[H_2NNS(O)_2Mes](PPh_3)$, $HRu_3(CO)_8[H_2NNS(O)_2Mes][PPh_2CC(Ph)Co_2(CO)_6]$, $HRu_3(CO)_8[H_2NNS(O)_2Tol][PPh_2(C_5H_4)Fe(C_5H_4)PPh_2]$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), 27

Sulphur dioxide
Reversible insertion of SO_2 into the N–N bond of $[Fe_2(CO)_6(\mu\text{-}Ph_2N_2)]$ (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261

Synthesis
Nickel(0)-induced geminal bond cleavages leading to carbon–carbon double bonds: intermediacy of nickel(0)–carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Thallium
Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[Ru(CO)_2][Ru(CO)_2Cl][\eta^5,\eta^5:\eta^1\text{-}C_5H_4(CH_2)_2CC_5H_3]$, $Ru_2(CO)_4[\eta^5,\eta^5\text{-}C_5H_4(CH_3)_2SiC_5H_4]$ and $[Ru(CO)_2Br][Ru(CO)_2Cl][\eta^5,\eta^5\text{-}C_5H_4C_2H_4C_5H_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11

Thiolate complexes
Syntheses and reactions of dinuclear μ-methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157

Thiophene
Reactions of the η^5-2,5-dimethylthiophene complex $Cp^*Ir(\eta^5\text{-}2,5\text{-}Me_2T)^{2+}$ with nucleophiles (Ph^-, Me^-, $^-CH(CO_2Me)_2$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149

Titanium
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183
Titanium(IV) compounds with cyano ligands: crystal structures of $Cp_2Ti(CN)(OCH_3)$ and $[Cp_2Ti(CN)]_2O$ (U. Thewalt and W. Nuding), 127

Tungsten
Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_3{}^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[W(\eta^5\text{-}C_5H_5)_2(CO)]$ to give $[W(\eta^5\text{-}C_5H_5)(\eta^4\text{-}C_5H_5\text{-exo-}CCl_3)(CO)Cl]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175

Vinylidene complexes
Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximato) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197

X-ray diffraction
Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_3{}^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5\text{-}C_5Me_5)(\eta^5\text{-}C_2{}^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
Rhenium complexes containing 1,1′-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111

X-ray powder diffraction
Crystal structures of metallo–organo phosphates from X-ray powder diffraction data (D.M. Poojary and A. Clearfield), 237

Ytterbium
The crystal and molecular structure of $[\eta^5\text{-}C_5H_3(SiMe_3)_2]_2Yb(THF)$ (R.D. Rogers), 97

Ziegler–Natta catalyst
Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131

Zinc
Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(C_3H_7)_4C_5H]_2Zn$ (D.J. Burkey and T.P. Hanusa), 165

Zirconium
ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spirosilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenc, R. Kirsten and H.-H. Brintzinger), 225
C_2-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183